

IT'S
EASY
TO BE
CREATIVE

KLOSZE / COVERS






















Karta produktu
Data sheet

	TRANSPARENTNY PVC transparent PVC	MROŻONY PVC frozen PVC	MLECZNY PVC milky PVC	NEW TRANSPARENTNY PC transparent PC	NEW MROŻONY PC frozen PC	NEW MLECZNY PC milky PC	FRACTAL PC opal	FRACTAL PC clear	FRACTAL PC czarny black	SILICONE DOW CORNING opal	TRANSPARENTNY PMMA transparent PMMA	MROŻONY PMMA frozen PMMA	MLECZNY PMMA milky PMMA
BASIC													
BASIC FLEX													
HIGH* tylko PC i PMMA / only PC and PMMA													
WIDE													
SLIM													
NEW DOUBLE													
DOUBLE FLEX													
TERRA* tylko PC only PC													
SLIM LENS 15													
BASIC LENS 15													
BASIC LENS 30													
ASYMMETRIC LENS 45													
SUPER WIDE													
PLEXI TIANO PLEXI SUPER WIDE													
RASTER WIDE													
SOLID													
nano													
midi													
TALL													
LEAN													
COMPACT													

	FROSTED MLECZNY PMMA milky frosted PMMA PMMA	PRISMATIC PC	BLACK PMMA	SREBRNY silver	CZARNY black
BASIC					
BASIC FLEX					
HIGH* tylko PC i PMMA / only PC and PMMA					
WIDE					
SLIM					
DOUBLE					
DOUBLE FLEX					
TERRA* tylko PC only PC					
SLIM LENS 15					
BASIC LENS 15					
BASIC LENS 30					
ASYMMETRIC LENS 45					
SUPER WIDE					
PLEXI TIANO PLEXI SUPER WIDE					
RASTER WIDE					
SOLID					
nano					
midi					
TALL					
LEAN					
COMPACT					







	TRANSPARENTNY PVC transparent PVC	MROŻONY PVC frozen PVC	MLECZNY PVC milky PVC	TRANSPARENTNY PC transparent PC	MROŻONY PC frozen PC	MLECZNY PC milky PC	FRACTAL PC opal	FRACTAL PC clear	FRACTAL PC czarny black	SILICONE DOW CORNING opal	TRANSPARENTNY PMMA transparent PMMA	MROŻONY PMMA frozen PMMA	MLECZNY PMMA milky PMMA
LIFT ONE													
LIFT TWO													
GLIDE													

PRZEPUSZCZALNOŚĆ / TRANSPARENCY*

RODZAJE KLOSZY type of covers	TEMPERATURA PRACY MATERIAŁU operating tempera- ture of material	BASIC	BASIC FLEX	HIGH	WIDE	SLIM	NEW DOUBLE	DOUBLE FLEX	TERRA	SLIM LENS 15	BASIC LENS 15	BASIC LENS 30	ASYMMETRIC LENS 45
DO PROFILI MEBLOWYCH fits furniture profiles		A / B / C / D / G / H / W / Y / Z / COSMO / RETO / J / Q18 / Q20 / W / U	A / B / C / D / G / H / W / Y / Z / COSMO / RETO / J / Q18 / Q20 / W / U	A / D		X / MICO				X / MICO	A / B / C / D / G / H / W / Y / Z / COSMO / RETO / J / Q18 / Q20 / W / U		A / B
DO PROFILI ARCHI- TEKTONICZNYCH fits architectural profiles		FALCO / FLARO / GAUDI / MONO / TIANO / CANTO / VIGO / BRUNO / FLEXA / InFLEXA / APA12 / APA16 / IPA12 / IPA16 / J / V / SLIMO / SONO	FALCO / FLARO / GAUDI / MONO / TIANO / CANTO / VIGO / BRUNO / FLEXA / InFLEXA / APA12 / APA16 / IPA12 / IPA16 / J / V / SLIMO / SONO		SOLIS / INSO / ILED0 / CLARO / DULIO / FOLDO		HIRO / PLATO / SILEDA / INSLEDA DILEDA / INDILEDA UNICO / DOPIO TALIA / INTALIA / ZATI SUBLI / LOGI / CONVA TOPO / PERO / VEDA / MOTTA / DULIO / FIXO / GEMI	HIRO / PLATO / SILEDA / INSLEDA DILEDA / INDILEDA UNICO / DOPIO TALIA / INTALIA / ZATI SUBLI / LOGI / CONVA TOPO / PERO / VEDA / MOTTA / DULIO / FIXO / GEMI	TERRA / SCALA / RUNO / FINO / MITO / NIPO		FALCO / GAUDI / APA12 / APA16 / IPA12 / IPA16 / FLEXA / INFLEXA		
TRANSPARENTNY PVC transparent PVC	-20°C + 65°C	89% 			83% 	88% 							
MROŻONY PVC frozen PVC		64% 			51% 	62% 							
MLECZNY PVC milky PVC		49% 			25% 	46% 							
TRANSPARENTNY PMMA transparent PMMA	-20°C + 70°C	93% 		93% 	92% 	88% 	89% 			96% 	92% 	91% 	
MROŻONY PMMA frozen PMMA		78% 		73% 	68% 	75% 	69% 						
MLECZNY PMMA milky PMMA		50% 		39% 	45% 	46% 	42% 						
FROSTED MLECZNY PMMA milky frosted PMMA		81% 		80% 	75% 	77% 	69% 						
CZARNY PMMA black PMMA	-20°C + 70°C	31% 		22% 	19% 	40% 	23% 						
NEW TRANSPARENTNY PC 2.0 / transparent PC 2.0		93% 					88% 						
TRANSPARENTNY PC / transparent PC					89% 								84% 
NEW MROŻONY PC 2.0 / frozen PC 2.0		77% 					64% 						
MROŻONY PC / frozen PC	-50°C + 100°C				59% 								
NEW MLECZNY PC 2.0 / milky PC 2.0		53% 					43% 						
MLECZNY PC / milky PC					33% 				55% 				
PRISMATIC PC					83% 								

















* Wszystkie badania zostały wykonane w laboratorium fotometrii Lumines. Tolerancja wyniku $\pm 5\%$
 * All tests were carried out in the Lumines photometry laboratory. Result tolerance $\pm 5\%$.

PRZEPUSZCZALNOŚĆ / TRANSPARENCY*

RODZAJE KŁOSZY type of covers	TEMPERATURA PRACY MATERIAŁU operating tempera- ture of material	BASIC	BASIC FLEX	HIGH	WIDE	SLIM	DOUBLE	DOUBLE FLEX	TERRA	SLIM LENS 15	BASIC LENS 15	BASIC LENS 30	ASYMMETRIC LENS 45
DO PROFILI MEBLOWYCH fits furniture profiles		A / B / C / D / G / H / W / Y / Z / COSMO / RETO / J / Q18 / Q20	A / B / C / D / G / H / W / Y / Z / COSMO / RETO / J / Q18 / Q20	A / D		X / MICO				X / MICO	A / B / C / D / G / H / Q / W / Y / Z / COSMO / RETO / J / Q18 / Q20 / W / U		A / B
DO PROFILI ARCHI- TEKTONICZNYCH fits architectural profiles		FALCO / FLARO / GAUDI / MONO / TIANO / CANTO / VIGO / BRUNO / FLEXA / INFLEXA / APA12 / APA16 / IPA12 / IPA16 / J / V / SLIMO / SONO	FALCO / FLARO / GAUDI / MONO / TIANO / CANTO / VIGO / BRUNO / Q18 / Q20 / APA12 / APA16 / IPA12 / IPA16 / J / V / SLIMO / SONO		SOLIS / INSO / ILEDO / CLARO / DULIO / FOLDO		HIRO / PLATO / SILEDA / INSLEDA DILEDA / INDILEDA UNICO / DOPIO TALIA / INTALIA / ZATI SUBLI / LOGI / CONVA TOPO / PERO / VEDA / MOTTA / DULIO / FIXO / GEMI	HIRO / PLATO / SILEDA / INSLEDA DILEDA / INDILEDA UNICO / DOPIO TALIA / INTALIA / ZATI SUBLI / LOGI / CONVA TOPO / PERO / VEDA / MOTTA / DULIO / FIXO / GEMI	TERRA / SCALA / RUNO / FINO / MITO / NIPO		FALCO / GAUDI / APA12 / APA16 / IPA12 / IPA16 / FLEXA / INFLEXA		
FRACTAL PC opal	-50°C + 100°C	69% 			66% 		65% 						
FRACTAL PC clear	-50°C + 100°C	92% 					89% 						
FRACTAL PC black	-50°C + 100°C	29% 			18% 		23% 						
SILICONE DOW CORNING opal	-20°C + 70°C		68% 					72% 					

* Wszystkie badania zostały wykonane w laboratorium fotometrii Lumines. Tolerancja wyniku $\pm 5\%$
 * All tests were carried out in the Lumines photometry laboratory. Result tolerance $\pm 5\%$.

PRZEPUSZCZALNOŚĆ / TRANSPARENCY*

RODZAJE KŁOSZY type of covers	TEMPERATURA PRACY MATERIAŁU operating tempera- ture of material	SUPER WIDE	PLEXI TIANO PLEXI SUPER WIDE	SOLID	nano	midi	TALL	LEAN	COMPACT	LIFT ONE	LIFT TWO	GLIDE
DO PROFILI MEBLOWYCH fits furniture profiles					atom / ajar / axel / axin	alba / aria / akin		IVO / ONI / SEI	AGO / RAI			
DO PROFILI ARCHI- TEKTONICZNYCH fits architectural profiles		LARGO / INLARGO / SORGA	TIANO / LARGO / INLARGO / SORGA	FASSO / STRADA			DILEDA / SILEDA			DURO	TECO	SOLVIA
TRANSPARENT PMMA		91% 										
FROZEN PMMA												
MILKY PMMA	-20°C + 70°C	65% 										
MILKY FROSTED PMMA		75% 										
BLACK PMMA	-20°C + 70°C	14% 										
TRANSPARENT PC								91% 	90% 			
FROZEN PC								72% 	72% 			
MILKY PC	-50°C + 100°C							42% 	47% 			
PRISMATIC PC												
MILKY PC	-50°C + 100°C			57% 								
FRACTAL PC opal	-50°C + 100°C	65% 			74% 	70% 	75% 			68% 	68% 	62% 
FRACTAL PC clear	-50°C + 100°C				92% 	91% 						
FRACTAL PC black	-50°C + 100°C	13% 			17% 	16% 						

* Wszystkie badania zostały wykonane w laboratorium fotometrii Lumines. Tolerancja wyniku ± 5%

* All tests were carried out in the Lumines photometry laboratory. Result tolerance ± 5%.



lumines.com

